

Jumpers with superflexible RFF 1/2" cable

Draka jumper cables are the perfect choice for antenna line connections. Our jumpers have excellent return loss values with low and stable intermodulation.


Stable electrical performance is ensured by high quality superflexible cable and special connector head design. Soldered inner and outer conductor guarantees excellent return loss and low intermodulation.

The design of the assembly ensures the waterproofness of the jumper to IP 68. The design is based on three main principles:

- 7-16 head sealing with O-rings
- Induction soldering of the inner and outer conductors providing 360 degrees of contact and sealing
- Enclosing the connection at the rear of the connector with injection molded body

All our jumpers are delivered with an attached test report. Additional protection is maintained during storage and transport by a watertight protective cap on each end.





A test report shows return loss measurements. For traceability, a weatherproof ID label is attached to each jumper.

| JUMPERS | | | | | | | | | |
|--|--------|---------|---------|-------------|---------|---------|---------|---------|----------|
| | | | RFF | 1/2"cable l | ength 🇯 | | | * ∭ | |
| Connectors | | 0.5 m | 1 m | 1.5 m | 2 m | 2.5 m | 3 m | 4 m | 5 m |
| Male 7/16 Male 7/16 | NKJ 11 | NKJ 111 | NKJ 112 | NKJ 113 | NKJ 114 | NKJ 115 | NKJ 116 | NKJ 118 | NKJ 1110 |
| Male 7/16 Female 7/16 | NKJ 12 | NKJ 121 | NKJ 122 | NKJ 123 | NKJ 124 | NKJ 125 | NKJ 126 | NKJ 128 | NKJ 1210 |
| Male 7/16 Male N | NKJ 13 | NKJ 131 | NKJ 132 | NKJ 133 | NKJ 134 | NKJ 135 | NKJ 136 | NKJ 138 | NKJ 1310 |
| Male 7/16 Female N | NKJ 14 | NKJ 141 | NKJ 142 | NKJ 143 | NKJ 144 | NKJ 145 | NKJ 146 | NKJ 148 | NKJ 1410 |
| Male 7/16 Male 7/16 90° | NKJ 15 | NKJ 151 | NKJ 152 | NKJ 153 | NKJ 154 | NKJ 155 | NKJ 156 | NKJ 158 | NKJ 1510 |
| Male 7/16 Male N 90° | NKJ 16 | NKJ 161 | NKJ 162 | NKJ 163 | NKJ 164 | NKJ 165 | NKJ 166 | NKJ 168 | NKJ 1610 |
| Female 7/16 Female 7/16 | NKJ 22 | NKJ 221 | NKJ 222 | NKJ 223 | NKJ 224 | NKJ 225 | NKJ 226 | NKJ 228 | NKJ 2210 |
| Female 7/16 Male N Image: A state of the state | NKJ 23 | NKJ 231 | NKJ 232 | NKJ 233 | NKJ 234 | NKJ 235 | NKJ 236 | NKJ 238 | NKJ 2310 |
| Female 7/16 Female N | NKJ 24 | NKJ 241 | NKJ 242 | NKJ 243 | NKJ 244 | NKJ 245 | NKJ 246 | NKJ 248 | NKJ 2410 |
| Female 7/16 Male 7/16 90° | NKJ 25 | NKJ 251 | NKJ 252 | NKJ 253 | NKJ 254 | NKJ 255 | NKJ 256 | NKJ 258 | NKJ 2510 |
| Female 7/16 Male N 90° | NKJ 26 | NKJ 261 | NKJ 262 | NKJ 263 | NKJ 264 | NKJ 265 | NKJ 266 | NKJ 268 | NKJ 2610 |
| Male N Male N | NKJ 33 | NKJ 331 | NKJ 332 | NKJ 333 | NKJ 334 | NKJ 335 | NKJ 336 | NKJ 338 | NKJ 3310 |
| Male N Female N | NKJ 34 | NKJ 341 | NKJ 342 | NKJ 343 | NKJ 344 | NKJ 345 | NKJ 346 | NKJ 348 | NKJ 3410 |
| Male N Male 7/16 90° | NKJ 35 | NKJ 351 | NKJ 352 | NKJ 353 | NKJ 354 | NKJ 355 | NKJ 356 | NKJ 358 | NKJ 3510 |
| Male N 90° | NKJ 36 | NKJ 361 | NKJ 362 | NKJ 363 | NKJ 364 | NKJ 365 | NKJ 366 | NKJ 368 | NKJ 3610 |
| Female N Female N | NKJ 44 | NKJ 441 | NKJ 442 | NKJ 443 | NKJ 444 | NKJ 445 | NKJ 446 | NKJ 448 | NKJ 4410 |
| Female N Male 7/16 90° | NKJ 45 | NKJ 451 | NKJ 452 | NKJ 453 | NKJ 454 | NKJ 455 | NKJ 456 | NKJ 458 | NKJ 4510 |
| Female N Male N 90° | NKJ 46 | NKJ 461 | NKJ 462 | NKJ 463 | NKJ 464 | NKJ 465 | NKJ 466 | NKJ 468 | NKJ 4610 |

Fire retardant jumpers for indoor applications are also available.



www.draka.com

